





TECHNICAL DATA SHEET

Identification:

| a) Product name | : Neelicert FD & C Blue 2 Al Lake | |
|---------------------------------|---|--|
| b) Available Form | : Powder | |
| c) Synonyms | : Acid Blue 74 Lake / Indigo Carmine Lake | |
| d) Chemical Name | : Aluminium, 2-(1,3-dihydro-3-oxo-5-sulfo-2H-indol-2- ylidene)-2,3-dihydro-3-oxo- 1H-indole-5- sulfonic acid complex | |
| e) Color Index No. | : 73015 : 1 | |
| f) Color Index Name | :Food Blue 1:1 | |
| g) E No. | : E 132 | |
| h) CAS No. | : 16521-38-3 | |
| i) EINES No. | : 240-589-3 | |
| j) INCI Name | : CI 73015 : 1 | |
| k) Country of Origin | : India | |
| l) Origin | : Synthetic | |
| m) Wavelength of Max Absorbance | : @ 610 ±4 nm | |
| n) Absorptivity g.cm / 100 ml | : 478 | |
| o) Chemical Structure | AlO ₃ S-O-C-C-SO ₃ Al | |
| p) Chemical Formula | : C16H10AIN2O8S2 | |
| q) Molecular Weight | : 449.37 g/mol | |
| r) Typical Hue | | |

Compositions:

| Component | CAS Number | Dye Content- | Dye Content- |
|--|-----------------------|---------------------|---------------------|
| | | 12 - 18% | 35 - 42% |
| FD & C Blue 2 | 860-22-0 | 12 - 18% W/W | 35 - 42% W/W |
| Aluminium Hydroxide | 21645 -51-2 | 63 - 69% W/W | 39 - 46% W/W |
| Water in the form of Moisture | 7732-18-5 | 17.00% W/W, maximum | 17.00% W/W, maximum |
| Sodium Chloride & Sulphate (As Sodium Salt) | 7647-14-5 & 7757-82-6 | 02.00% W/W, maximum | 02.00% W/W, maximum |



Technical Data Sheet

Regulations:

This colorant meets specification of:

a) CFR - Code of Federal Regulations Title 21, Part-82.

b) Indian Cosmetic standard IS 4707.

c) European Food Directive (EU) No 231/2012 of 9 March 2012 for use in Food product & EC Cosmetic Directive (EC) No 1223/2009 of the council of 30 November 2009.

d) Japanese regulations.

e) Joint FAO/WHO Expert Committee on Food Additives (JECFA).

f) Chinese Standards for Food Additive & Cosmetic Products.

Properties:

| Physical Appearance | pH of 2% Slurry | Solution Tone | Bulk Density [G/CC] | Particle Size (Micron) |
|---------------------|-----------------|----------------|------------------------|-----------------------------|
| Fine Blue Powder | 4 - 5.5 | Not applicable | 0.2 – 0.5 | < 7 |

Solubility:

| Water | Ethanol (25%) | Propylene Glycol | Vegetable Oil | Glycerine | Sorbitol |
|-----------|------------------|------------------|---------------|-----------|----------|
| Insoluble | Slightly Soluble | Disperse | Insoluble | Disperse | Disperse |
| | | <0.1% | | <0.1% | <0.1% |

<u>Stability :</u>

| a) pH | : 3.5 – 5.5 |
|-------------------|--------------------------------|
| b) Heat | : Color is stable up to 200°C. |
| c) Light Fastness | :1 |

Note:- Stability to light fastness is measured on the scale of 1 to 8 by considering Excellent= 8, Very Good=7, Good = 6, Moderate = 5, Very Fair = 4, Fair = 3, Poor = 2, Very poor = 1

Applications :

Mainly use in Food, Drugs & Cosmetic products.

Certified for use in by US FDA - Foods and ingested drugs – in amounts consistent with current gmp. Nylon 66 surgical sutures - not to exceed 1.0% by weight of the suture. For general surgery only.

Refer product brochure for more details.

Technical Data Sheet

Typical guideline for use :

FD & C Blue 2 Al Lake is insoluble & in most organic solvents but soluble in Acid & Alkali medium.

It gives coloration through Dispersion. For coloration this product, first pre-disperse in any suitable medium (like propylene glycol, glycerol any convenient medium which is compatible to final product). This dispersion is then used for the coloration of final product.

Typical Impurity Profile:

| Sr. No. | Test | Unit | Limit | Specification |
|------------|--|--------|---------|----------------|
| 1. | HCL INSOLUBLE MATTER | %W/W | MAXIMUM | 00.50 |
| 2. | BLEEDING (2 % SLURRY IN DEIONIZED WATER) | %W/W | MAXIMUM | 00.10 |
| 3. | ETHER EXTRACTABLE MATTER | %W/W | MAXIMUM | 00.20 |
| 4. | SUBSIDIARY COLOURS | %W/W | MAXIMUM | 01.00 |
| 5. | UNSULPHONATED AROMATIC AMINES | %W/W | MAXIMUM | 00.01 |
| 6. | ORGANIC COMPOUNDS OTHER THAN COLOURING MATTERS | %W/W | MAXIMUM | 00.50 |
| 7. | ARSENIC | MG/KG | MAXIMUM | 01.00 |
| 8. | LEAD | MG/KG | MAXIMUM | 02.00 |
| 9. | MERCURY | MG/KG | MAXIMUM | 01.00 |
| 10. | CADMIUM | MG/KG | MAXIMUM | 01.00 |
| 11. | ANTIMONY | MG/KG | MAXIMUM | 10.00 |
| 12. | COPPER | MG/KG | MAXIMUM | 25.00 |
| 13. | CHROMIUM | MG/KG | MAXIMUM | 25.00 |
| 14. | ZINC | MG/KG | MAXIMUM | 25.00 |
| 15. | BARIUM | MG/KG | MAXIMUM | 25.00 |
| 16. | MICROBIOLOGICAL SPECIFICATION | | | |
| a. | TOTAL VIABLE BACTERIAL COUNT | CFU/GM | MAXIMUM | 500 |
| b. | TOTAL FUNGI (YEAST& MOULDS) COUNT | CFU/GM | MAXIMUM | 70 |
| с. | TEST FOR PRESENCE OF Staphylococcus aureus | | | Absent / 1 gm |
| d. | TEST FOR PRESENCE OF <i>E.coli</i> | | | Absent / 1 gm |
| e. | TEST FOR PRESENCE OF Salmonella | | | Absent / 10 gm |
| f. | TEST FOR PRESENCE OF Pseudomonas aeruginosa | | | Absent / 1 gm |

Typical Packing :

As a standard packaging we fill 12.5 Kg product in HDPE drum containing food grade LDPE bag as a primary packaging. The bag is seal with red colour one time use plastic bag locking seal. The drum is seal with red colour plastic drum seal.

Apart from that we can pack the product as per customer's requirement.

Page: 03 of 04

Technical Data Sheet

Storage & Handling:

Product "Store at an ambient Temperature & dry place" & Keep container tightly sealed & closed in condition after using. For more information refer Material Data Sheet.

Shelf Life: 8 Years

| Certifications: | | - | | | | |
|-----------------|------------|----------|-----|-----------------------|--------------------|-----------------|
| | FSSC 22000 | ISO 9001 | GMP | HALAL – MUI Indonesia | HALAL – JUHF India | Kosher (Star K) |

Declarations:

| GMO Free | TSE/BSE Free Allergen Free | Nitrosamines Free Suitable for Vegan & Vegetarian |
|------------------|--|--|
| Pesticides Free | Melamine Free Alcohol Free | Irradiation Free No content of VOC (Volatile Organic Compounds) |
| No Plant Tissue | Paraben Free Genotoxic Free | Aflatoxin Free No Preservatives |
| No Animal Tissue | No CMR Dioxin Free | Gluten Free No Residual Solvent |
| No Additives | No Animal Testing (Cruelty Free) | Latex Free No technology of Nano Particles |

Guarantee :

Neelikon is committed to supply you best quality product, meeting legislative and statutory requirements by adopting good manufacturing practices consistently.

We hope you will be satisfied with our quality and services. We thank you for your valued support.



Page : 04 of 04

Issued on: Nov-2020

Shades depicted are for reference only. Clients are advised to check samples for shade matching. Neelikon realizes that we are serving an ever-changing marketplace. In this scenario changes in legislation may cause the information contained herein requires updating. We therefore request clients to re-check with their appropriate legislative authorities before using any of our products in their intended application. Although based on our general experience, the information presented herein is believed to be reliable, Neelikon makes no representation or guarantee as to be accuracy, completeness or reliability of the information. Due to various factors that are outside our control, we cannot accept liability from reliance on this information for any circumstances.

• This is a computer generated report and hence no signature is required to validate.