





# TECHNICAL DATA SHEET

# Identification:

International Quality Guaranteed

a) Product name	: Neelicol Indigo Carmine / Neeligran Indigo Carmine Granular
b) Available Form	: Powder / Granular
c) Synonyms	: Acid Blue 74
d) Chemical Name	: Disodium 5,5'-(2-(1,3-dihydro-3-oxo-2H-indazol-2-ylidene)- 1,2-dihydro-3H- indol-3-one)disulphonate
e) Color Index No.	: 73015
f) Color Index Name	: Food Blue 1
g) E No.	: E 132
h) CAS No.	: 860-22-0
i) EINES No.	: 212-728-8
j) INCI Name	: CI 73015
k) Country of Origin	: India
I) Origin	: Synthetic
m) Wavelength of Max Absorbance	: @ 610 ± 4 nm
n) Absorptivity g.cm / 100 ml	: 480
o) Chemical Structure	NaO <sub>3</sub> S NaO <sub>3</sub> S NaO <sub>3</sub> S NaO <sub>3</sub> S Na NaO <sub>3</sub> S Na Na Na Na Na Na Na Na Na Na
p) Chemical Formula	: C <sub>16</sub> H <sub>8</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub>
q) Molecular Weight	: 466.36 g/mol
r) Typical Hue	

# Compositions:

Component	CAS Number	% W/W Content
Indigo Carmine	860-22-0	85.00, minimum
Water in the form of Moisture	7732-18-5	06.00, maximum
Sodium Chloride	7647-14-5	04.00, maximum
Sodium Sulphate	7757-82-6	05.00, maximum



#### **Regulations:**

This colorant meets specification of:

a) Food Safety and Standards Authority of India [FSSAI] & IS 4707.

b) European Food Directive (EU) No 231/2012 of 9 March 2012 for use in Food product & EC Cosmetic Directive (EC) No 1223/2009 of the council of 30 November 2009.

c) Joint FAO/WHO Expert Committee on Food Additives (JECFA).

d) Chinese Standards for Food Additive & Cosmetic Products

#### **Properties:**

Physical Appearance	pH of 1% Solution	Solution Tone	Bulk Density [G/CC]		Partic ( Mi	le Size cron
Dark Blue	5 to 7.5	Blue	Powder	Granular	Powder	Granular
			0.60 to 0.95	0.70 - 1.10	100 - 60	2057 – 710

## Solubility:

W	ater	Ethanol (100%)	Ethanol (25%)	Methanol	Ethyl Acetate	Acetone	IPA ( Isopropanol )	N-Butyl Acetate
1.	4%	Insoluble	0.38%	0.1%	Insoluble	Insoluble	Insoluble	Insoluble

Glycerol	Propylene	Vegetable	Light Liquid Paraffin Oil	Sorbitol	Iso Propyl	Silicon Oil
	Glycol	Oil	(LLP)		Myristate ( IPM )	
0.1%	< 0.1%	Insoluble	Insoluble	0.80%	Insoluble	Insoluble

## <u>Stability :</u>

a) pH	: Stable at pH- 2 to 10
b) Heat	: Color is stable up to 200°C
c) Light Fastness	: 1

**Note:**- Stability to light fastness is measured on the scale of 1 to 8 by considering Excellent= 8, Very Good=7, Good = 6, Moderate = 5, Very Fair = 4, Fair = 3, Poor = 2, Very poor = 1

#### **Applications :**

Mainly use in Food, Drugs & Cosmetic products. (Permitted to use in all cosmetic products.)

Refer product brochure for more details.

### Typical guideline for use :

Indigo Carmine is Dye & It gives coloration through Solution. For coloration this product, first pre-soluble in any suitable medium (like water, milk or any convenient medium which is compatible to final product). This solution is then used for the coloration of final product.

#### **Technical Data Sheet**

## Typical Impurity Profile:

Sr.	Test	Unit	Limit	Specification
No.	iest (	onic	Linit	Specification
1	DISODIUM 3,3'-DIOXO-2,2'-BI-INDOLYLIDENE-5,7'-	% W/W	MAXIMUM	18.00
-	DISULFONATE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
2	WATER INSOLUBLE MATTER	% W/W	MAXIMUM	00.20
3	COMBINED ETHER EXTRACT	% W/W	MAXIMUM	00.20
4	SUBSIDIARY DYES EXCLUDING DISODIUM	% W/W	MAXIMUM	01.00
	3'3'-DIOXO 2'2'-BI-INDOLYLIDINE – 5'7'-DISULFONATE			
5	UNSULPHONATED AROMATIC AMINES	% W/W	MAXIMUM	00.01
6	ORGANIC COMPOUNDS OTHER THAN COLOURING MATTERS	%W/W	MAXIMUM	00.50
7	HEAVY METALS			
а	ARSENIC	MG/KG	MAXIMUM	01.00
b	LEAD	MG/KG	MAXIMUM	02.00
С	MERCURY	MG/KG	MAXIMUM	01.00
d	CADMIUM	MG/KG	MAXIMUM	01.00
е	CHROMIUM	MG/KG	MAXIMUM	25.00
f	ZINC	MG/KG	MAXIMUM	25.00
g	COPPER	MG/KG	MAXIMUM	10.00
h	TIN	MG/KG	MAXIMUM	10.00
i	MANGANESE	MG/KG	MAXIMUM	25.00
j	ANTIMONY	MG/KG	MAXIMUM	10.00
k	BARIUM	MG/KG	MAXIMUM	25.00
8	MICROBIOLOGICAL SPECIFICATION			
а	TOTAL VIABLE BACTERIAL COUNT	CFU/GM	MAXIMUM	500
b	TOTAL FUNGI (YEAST& MOLDS) COUNT	CFU/GM	MAXIMUM	70
с	TEST FOR PRESENCE OF Staphylococcus aureus			Absent / 1 gm
d	TEST FOR PRESENCE OF <i>E.coli</i>			Absent / 1 gm
е	TEST FOR PRESENCE OF Salmonella			Absent / 10 gm
f	TEST FOR PRESENCE OF Pseudomonas aeruginosa			Absent / 1 gm

## Typical Packing :

As a standard packaging we fill 25 Kg product in HDPE drum containing food grade LDPE bag as a primary packaging. The bag is seal with red colour one time use plastic bag locking seal. The drum is seal with red colour plastic drum seal.

Apart from that we can pack the product as per customer's requirement.

## Storage & Handling:

Product "store at an ambient temperature & dry place" & keep container tightly sealed & closed in condition after using. For more information refer Material Safety Data Sheet.

Shelf Life: 8 Years

Certificatio	าร:				
FSSC 22000	ISO 9001	GMP	HALAL – MUI Indonesia	HALAL – JUHF India	Kosher ( Star K )

#### **Declarations:**

<ul> <li>GMO Free</li> </ul>	TSE/BSE Free	Allergen Free	Nitrosamines Free	<ul> <li>Suitable for Vegan &amp; Vegetarian</li> </ul>
<ul> <li>Pesticides Free</li> </ul>	Melamine Free	Alcohol Free	Irradiation Free	<ul> <li>No content of VOC (Volatile Organic Compounds)</li> </ul>
No Plant Tissue	🛠 Paraben Free	Genotoxic Free	Aflatoxin Free	No Preservatives
No Animal Tissue	No CMR	Dioxin Free	Gluten Free	No Residual Solvent
No Additives	No Animal Testir	ng ( Cruelty Free )	Latex Free	No technology of Nano Particles

### Guarantee :

Neelikon is committed to supply you best quality product, meeting legislative and statutory requirements by adopting good manufacturing practices consistently.

We hope you will be satisfied with our quality and services. We thank you for your valued support.



Page : 04 of 04

#### ssued on: Nov-2020

Shades depicted are for reference only. Clients are advised to check samples for shade matching.

Neelikon realizes that we are serving an ever-changing marketplace. In this scenario changes in legislation may cause the information contained herein requires updating. We therefore request clients to re-check with their appropriate legislative authorities before using any of our products in their intended application. Although based on our general experience, the information presented herein is believed to be reliable, Neelikon makes no representation or guarantee as to the accuracy, completeness or reliability of the information. Due to various factors that are outside our control, we cannot accept liability from reliance on this information for any circumstances.